

MILES	FEET	ROUTE - ALL SEASON ROUTES
2.9		Airport Road from BR 196 (Grand River) to Clark Road
0.08	400	Baese Ct. South of M-21
1.88		Chandler Road from Clark Road to State Road
0.12	626	Chandler Road from County Line to Coleman Road
4.81		Clark Road from US27 East to Webster Road
0.25	1320	Clark Road from Airport to the East 1/4 mile
0.18	929	Commerce Park Drive from US27 to Cross Over Drive
0.31	1614	Cross Over Drive from Commerce Park Drive to Webb Road
1.00		Dewitt Road from I69 North to Dewitt City Limits
0.05	250	Dewitt Road from M21 North 250 feet
0.14	750	Dewitt Road from M21 South 750 feet
1.26		Dewitt Road from State Road to Sheridan Road
7.16		Forest Hill Road from M21 to Maple Rapids Road
0.12		Francis Road from Grand River North to I69 Overpass
8.18		Grand River from I96 West to Clintonia Road
12.83		Grange Road from Grand River to M21
1.16		Granger Meadow Lane from Wood Road to US27
0.50		Grove Road from Grand River to 300' South of State Road
0.30	1575	Herbison Road from US27 East to dead end
0.25		High Street from Hollister to Ovid Village limits
7.05		Hollister Road from M21 North to Gratiot Road
0.08		Huron Drive from Ontario Drive to US27
0.33	1747	Lowell Road from Grand River to State Road
0.15		Mak-Tech Drive West of US27
9.09		Maple Rapids Road from Village of Maple Rapids East to Welling Road
0.24		Marsh Road from M78 South to the South County Line
1.00		Mead Road from Hollister Road to Meridian Road
0.30	1590	National Parkway from Grand River to dead end
0.25		Ontario Drive North of Superior Drive
0.13		Rademaker Road South of BR 196
2.63		Round Lake Road from US127 ramp (NB) West to Dewitt City Limits
2.06		State Road from Wood Road to Chandler Road
0.21	1100	Superior Drive East of US27
0.13	700	Townsend Road from US27 East to Walmart Service Drive
2.55		Wacousta Road from Grand River to Herbison Road
1.36		Webster Road from Clark Road South of I69
0.25		Wood Road from State Road South to South County Line

**ROUTE**

MILES	FEET	25 % reduction - CLASS "A" ROADS
1.01	5323	Chandler Road from State Road South to Coleman
3.10		Chandler Road from M21 North to Colony Road
0.58		Coleman Road from Chandler Road West .58 mile
1.01		Colony Road from Chandler Road West to Krepps Road
0.31		Dewitt Road from Searles pit North to French Road
1.00		French Road from Dewitt Road to US 127
15.11		Francis Road from M21 South to I69 overpass
12.98		Howe Road from Clintonia Road East to Norris Road
0.32		Hunsaker Road from Chandler Road to Coleman Road
0.74		Ingersol Road from Grand River South to County Line
13.96		Price Road from Clintonia East to US27
9.06		Price Road from US127 NB Ramp East to Meridian Road
8.56		Round Lake Road from US127 (NB) Ramp East to Meridian Road
2.00		Wood Road from Clark Road to State Road
14.02		Wright Road from M21 South to Grand River

## TABLE OF MAXIMUM ALLOWABLE GROSS AXLE LOADINGS

### NORMAL LOADING WHEN RESTRICTIONS ARE NOT IN FORCE

SPACING BETWEEN AXLES	CLASS A	CLASS B
9 feet or over	18,000 lbs	18,000 lbs
More than 3 1/2 feet, but less than 9 feet	13,000 lbs	13,000 lbs
When part of a tandem axle assembly (only one tandem permitted)	* 16,000 lbs	13,000 lbs
When less than 3 1/2 feet combined weight shall not exceed	18,000 lbs	18,000 lbs
Maximum load on any wheel shall not exceed (pounds per inch of tire width)	700 lbs	700 lbs

### LOADING WHEN RESTRICTIONS ARE IN FORCE

SPACING BETWEEN AXLES	ALL SEASON	CLASS A	CLASS B
	ROUTES		
9 feet or over	18,000 lbs	13,500 lbs	11,700 lbs
More than 3 1/2 feet, but less than 9 feet	13,000 lbs	9,750 lbs	8,450 lbs
When part of a tandem axle assembly (only one tandem permitted)	* 16,000 lbs	**12,000 lbs	8,450 lbs
When less than 3 1/2 feet combined weight shall not exceed	18,000 lbs	13,500 lbs	11,700 lbs
Maximum load on any wheel shall not exceed (pounds per inch of tire width)	700 lbs	525 lbs	450 lbs

All season routes or sections there of may be revised as needed

**NOTE: CERTAIN PORTIONS OF ROADS OR STRUCTURES MAY HAVE RESTRICTIONS OTHER THAN SHOWN.  
THESE ROADS AND STRUCTURES ARE POSTED.**

\* On any legal combination of vehicles, only one (1) tandem axle assembly shall be permitted at the gross weight of 16,000 lbs per axle and no other tandem axle assembly in such combination of vehicles shall exceed a gross weight of 13,000 lbs per axle. When the gross weight of a five-axle tractor semi-trailer combinations with load, consisting of a steering axle and two separate two-axle tandem assemblies does not exceed 73,280 lbs, two (2) tandem axle assemblies shall be permitted at a gross weight of 16,000 lbs per axle.

\*\* On any legal combination of vehicles, only one (1) tandem axle assembly shall be permitted at the gross weight of 12,000 lbs per axle and no other tandem axle assembly in such combination of vehicles shall exceed a gross weight of 9,750 lbs per axle. On a five-axle tractor semi-trailer combination consisting of a steering axle and two separate two-axle tandem assemblies two (2) tandem axle assemblies shall be permitted at a gross weight of 12,000 per axle.

NOTE: INCREASE IN AXLE LOADINGS AS SPELLED OUT IN SUBSECTION (8) TO SECTION 722 OF ACT NO. 720, P.A. 1975, DOES NOT APPLY TO THE ROADS AND HIGHWAYS IN CLINTON, EATON, AND INGHAM COUNTIES.

Normal load restrictions: 700 lbs per inch of tire width


Class "A" restrictions: 525 lbs per inch of tire width

Class "B" restrictions: 450 lbs per inch of tire width

**TIRE SIZE STEERING AXLE**

9:00                  10:00                  11:00                  12:00                  13:00

Normal Restrictions (lbs)	12,600	14,000	15,400	16,800	18,000
Class "A" Restrictions (lbs)	9,450	10,500	11,550	12,600	13,500
Class "B" Restrictions (lbs)	8,100	9,000	9,900	10,800	11,700



Class "B"  
Normal                  13,000                  13,000